



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,468	04/05/2007	Yusaku Yoshimatsu	40404.60/ko	9414

54068 7590 07/09/2009

ROHM CO., LTD.
C/O KEATING & BENNETT, LLP
1800 Alexander Bell Drive
SUITE 200
Reston, VA 20191

EXAMINER

HAGAN, SEAN P

ART UNIT	PAPER NUMBER
----------	--------------

2828

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/09/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JKEATING@KBIPLAW.COM
uspto@kbiplaw.com

Office Action Summary	Application No. 10/599,468	Applicant(s) YOSHIMATSU, YUSAKU	
	Examiner SEAN HAGAN	Art Unit 2828	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 September 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 11-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 September 2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>See Continuation Sheet</u> . | 6) <input type="checkbox"/> Other: _____ |

Continuation of Attachment(s) 3). Information Disclosure Statement(s) (PTO/SB/08), Paper No(s)/Mail Date :29 September 2006; 30 November 2006.

DETAILED ACTION

1. Claims 1 through 10 originally filed 29 September 2006. Claims 1 through 10 cancelled by preliminary amendment received 29 September 2006. Claims 11 through 24 added by preliminary amendment received 29 September 2006. Claims 11 through 24 are pending in this application.

Drawings

2. Figure 2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2828

4. Claims 11, 16, 21, 22 and 23 rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa et al. (Yoshikawa, US Patent 5,163,063) in view of Kaplan (US Patent 4,785,456).

5. **Regarding claim 11**, Yoshikawa discloses, "A laser element arranged to vary a light intensity corresponding to a current that flows thereto" (col. 3-4, lines 48-3). "A photodetection element arranged to monitor and convert the light intensity of the laser element to electric signals" (col. 3-4, lines 48-3). "An emission control switch arranged to control the current flowing to the laser element" (col. 3-4, lines 48-3). "A feedback amplifier arranged to control the emission control switch by feeding back electric signals of the photodetection element" (col. 3-4, lines 48-3). Yoshikawa does not disclose, "An emission control switch controlling circuit arranged to determine as abnormal a current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element and to turn OFF the emission control switch." Kaplan discloses, "An emission control switch controlling circuit arranged to determine as abnormal a current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element and to turn OFF the emission control switch" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Yoshikawa with the teachings of Kaplan. Detection and prevention of the laser operating outside of a designated discharge program as taught by Kaplan would enhance the teachings of Yoshikawa by providing additional factors by which abnormality may be determined.

6. **Regarding claim 16**, Yoshikawa discloses, "Wherein the emission control switch controlling circuit includes an emission stop switch and is arranged to turn OFF the emission control switch by turning ON the emission stop switch" (col. 7, lines 37-43).

7. **Regarding claim 21**, Yoshikawa does not disclose, "Wherein oscillation of the oscillator is stopped when the abnormality has been determined." Kaplan discloses, "Wherein oscillation of the oscillator is stopped when the abnormality has been determined" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Yoshikawa with the teachings of Kaplan for the reasons provided above regarding claim 11.

8. The combination of Yoshikawa and Kaplan does not disclose, "An oscillator arranged to output a reference clock for counting the predetermined time from the beginning of light emission of the laser element up to the determination of abnormality." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

9. **Regarding claim 22**, Yoshikawa discloses, "A power source switch arranged between a power source and an inner power source which opens and closes corresponding to intermittent control signals" (col. 3-4, lines 48-3).

Art Unit: 2828

10. The combination of Yoshikawa and Kaplan does not disclose, "Wherein the inner power source supplies power to the emission control switch, the feedback amplifier, and the emission stop switch." It would have been a matter of obvious design choice to power all of the relevant circuits with switch regulated power source, since applicant has not disclosed that this difference solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well so long as the elements are powered.

11. The combination of Yoshikawa and Kaplan does not disclose, "A current drive capacity of the emission stop switch is higher than a current drive capacity of a sink current side on the feedback amplifier." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize a switch whose drive current capacity is sufficient for proper operation, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

12. **Regarding claim 23**, Yoshikawa discloses, "Wherein when the counter reaches the predetermined count the fail-safe circuit is arranged to determine an abnormality and output a signal that causes the emission stop switch to turn ON" (col. 7, lines 37-43). Yoshikawa does not disclose, "A fail-safe circuit which includes a counter arranged to start from a rise of the inner power source." Kaplan discloses, "A fail-safe circuit which includes a counter arranged to start from a rise of the inner power source" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of

Art Unit: 2828

invention to combine the teachings of Yoshikawa with the teachings of Kaplan for the reasons provided above regarding claim 11.

13. The combination of Yoshikawa and Kaplan does not disclose, "To count the number of the reference clock of the oscillator." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

14. Claim 24 rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa in view of Kaplan and further in view of Davis (US Patent 5,276,697).

15. **Regarding claim 24**, Yoshikawa discloses, "A soft-start circuit which includes a counter arranged to start from the change of the intermittent control signal when the power source switch is closed" (col. 20, lines 24-29).

16. The combination of Yoshikawa and Kaplan does not disclose, "Wherein when the counter reaches the predetermined count the soft-start circuit outputs a signal that turns OFF the emission stop switch so that a capacitor of the emission control switch controlling circuit discharges." Davis discloses, "Wherein when the counter reaches the predetermined count the soft-start circuit outputs a signal that turns OFF the emission stop switch so that a capacitor of the emission control switch controlling circuit discharges" (Fig. 2, pts. 14 and 35). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Yoshikawa and Kaplan with the teachings of Davis. Implementation of a state change

Art Unit: 2828

delay circuit as utilized by Davis would enhance the teachings of Yoshikawa and Kaplan by providing a process by which signal irregularities are mitigated.

17. The combination of Yoshikawa, Kaplan, and Davis does not disclose, "Counts the number of the reference clock of the oscillator." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

18. Claims 12 and 14 rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa in view of Davis.

19. **Regarding claim 12**, Yoshikawa discloses, "A laser element arranged to vary a light intensity corresponding to a current that flows thereto" (col. 3-4, lines 48-3). "A photodetection element arranged to monitor and convert the light intensity of the laser element to electric signals" (col. 3-4, lines 48-3). "An emission control switch arranged to control the current flowing to the laser element" (col. 3-4, lines 48-3). "A feedback amplifier arranged to control the emission control switch by feeding back electric signals of the photodetection element" (col. 3-4, lines 48-3). Yoshikawa does not disclose, "When the laser element begins to emit light, an emission control switch controlling circuit arranged to control the emission control switch such that the current flowing to the laser element is gradually increased." Davis discloses, "When the laser element begins to emit light, an emission control switch controlling circuit arranged to control the emission control switch such that the current flowing to the laser element is gradually

Art Unit: 2828

increased" (Fig. 2, pts. 14 and 35). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Yoshikawa with the teachings of Davis. Implementation of a state change delay circuit as utilized by Davis would enhance the teachings of Yoshikawa by providing a process by which signal irregularities are mitigated.

20. **Regarding claim 14**, Yoshikawa discloses, "Arranged such that when the laser element begins to emit light the emission control switch is forced to turn OFF" (col. 5, lines 53-61). "The emission control switch is controlled by turning the emission stop switch OFF and discharging the capacitor" (col. 5, lines 53-61). "Then the current flowing to the laser element is gradually increased" (col. 20, lines 24-29). Yoshikawa does not disclose, "Wherein the emission control switch controlling circuit includes a capacitor and an emission stop switch." "The capacitor is charged by turning the emission stop switch ON after a predetermined time has elapsed." Davis discloses, "Wherein the emission control switch controlling circuit includes a capacitor and an emission stop switch" (Fig. 2, pts. 14 and 35). "The capacitor is charged by turning the emission stop switch ON after a predetermined time has elapsed" (Fig. 2, pts. 14 and 35). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Yoshikawa with the teachings of Davis for the reasons provided above regarding claim 12.

Art Unit: 2828

21. Claims 13, 15, 17, 18, 19 and 20 rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa in view of Davis and further in view of Kaplan.

22. **Regarding claim 13**, the combination of Yoshikawa and Davis does not disclose, "Wherein the emission control switch controlling circuit is arranged to determine as abnormal a current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element to turn OFF the emission control switch." Kaplan discloses, "Wherein the emission control switch controlling circuit is arranged to determine as abnormal a current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element to turn OFF the emission control switch" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Yoshikawa and Davis with the teachings of Kaplan. Detection and prevention of the laser operating outside of a designated discharge program as taught by Kaplan would enhance the teachings of Yoshikawa and Davis by providing additional factors by which abnormality may be determined.

23. **Regarding claim 15**, Yoshikawa discloses, "To turn OFF the emission control switch by turning ON the emission stop switch" (col. 7, lines 37-43).

24. The combination of Yoshikawa and Davis does not disclose, "Wherein the emission control switch controlling circuit is arranged to determine as abnormal a

Art Unit: 2828

current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element." Kaplan discloses, "Wherein the emission control switch controlling circuit is arranged to determine as abnormal a current flowing continuously to the laser element for a predetermined time from the beginning of light emission of the laser element" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Yoshikawa and Davis with the teachings of Kaplan for the reasons provided above regarding claim 13.

25. **Regarding claim 17**, the combination of Yoshikawa and Davis does not disclose, "Wherein oscillation of the oscillator is stopped when the abnormality has been determined." Kaplan discloses, "Wherein oscillation of the oscillator is stopped when the abnormality has been determined" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Yoshikawa and Davis with the teachings of Kaplan for the reasons provided above regarding claim 13.

26. The combination of Yoshikawa, Davis, and Kaplan does not disclose, "An oscillator arranged to output a reference clock for counting the predetermined time from the beginning of light emission of the laser element up to the determination of abnormality." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

27. **Regarding claim 18**, Yoshikawa discloses, "A power source switch arranged between a power source and an inner power source which opens and closes corresponding to intermittent control signals" (col. 3-4, lines 48-3).

28. The combination of Yoshikawa, Davis, and Kaplan does not disclose, "Wherein the inner power source supplies power to the emission control switch, the feedback amplifier, and the emission stop switch." It would have been a matter of obvious design choice to power all of the relevant circuits with switch regulated power source, since applicant has not disclosed that this difference solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well so long as the elements are powered.

29. The combination of Yoshikawa, Davis, and Kaplan does not disclose, "A current drive capacity of the emission stop switch is higher than a current drive capacity of a sink current side on the feedback amplifier." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize a switch whose drive current capacity is sufficient for proper operation, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

30. **Regarding claim 19**, Yoshikawa discloses, "Wherein when the counter reaches the predetermined count the fail-safe circuit is arranged to determine an abnormality

Art Unit: 2828

and output a signal that causes the emission stop switch to turn ON" (col. 7, lines 37-43).

31. The combination of Yoshikawa and Davis does not disclose, "A fail-safe circuit which includes a counter arranged to start from a rise of the inner power source." Kaplan discloses, "A fail-safe circuit which includes a counter arranged to start from a rise of the inner power source" (col. 7, lines 42-49). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of the combination of Yoshikawa and Davis with the teachings of Kaplan for the reasons provided above regarding claim 13.

32. The combination of Yoshikawa, Davis, and Kaplan does not disclose, "To count the number of the reference clock of the oscillator." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

33. **Regarding claim 20**, Yoshikawa discloses, "A soft-start circuit which includes a counter arranged to start from the change of the intermittent control signal when the power source switch is closed" (col. 20, lines 24-29). Yoshikawa does not disclose, "Wherein when the counter reaches the predetermined count the soft-start circuit outputs a signal that turns OFF the emission stop switch so that the capacitor of the emission control switch controlling circuit discharges." Davis discloses, "Wherein when the counter reaches the predetermined count the soft-start circuit outputs a signal that turns OFF the emission stop switch so that the capacitor of the emission control switch

Art Unit: 2828

controlling circuit discharges" (Fig. 2, pts. 14 and 35). It would have been obvious to one of ordinary skill in the art at the time of invention to combine the teachings of Yoshikawa with the teachings of Davis for the reasons provided above regarding claim 12.

34. The combination of Yoshikawa, Davis, and Kaplan does not disclose, "Counts the number of the reference clock of the oscillator." It would have been obvious to one of ordinary skill in the art at the time of invention to utilize an oscillator for timing, since clock circuits for the purposes of generating triggering events were known in the art.

Conclusion

35. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SEAN HAGAN whose telephone number is (571)270-1242. The examiner can normally be reached on Monday-Friday 7:30 - 5:00.

36. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Minsun O. Harvey can be reached on 571-272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2828

37. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. H./

Examiner, Art Unit 2828

/Minsun Harvey/

Supervisory Patent Examiner, Art Unit 2828